Published Online: 2024 September 8

Rapid Communication



Modified Floating Wire: A Novel Aorto-Ostial Coronary Stenting Technique

Pejman Mansouri¹, Mohammad Hadi Mansouri^{2,*}, Ali Kazemian³, Seyedeh Melika Hashemi¹, Ehsan Khalilpour³, Afshin Amirpour², Alireza Khosravi², Morteza Abdar²

¹ Tehran Heart Center, Tehran University of Medical Sciences, Tehran, Iran

² Hypertension Research Center, Cardiovascular Research Institute, Isfahan University of Medical Sciences, Isfahan, Iran

³ Cardiovascular Intervention Research Center, Rajaie Cardiovascular Medical and Research Center, Iran University of Medical Sciences, Tehran, Iran

* **Corresponding Author:** Hypertension Research Center, Cardiovascular Research Institute, Isfahan University of Medical Sciences, Isfahan, Iran. Email: drmanamansouri@gmail.com

Received: 8 March, 2024; Accepted: 8 May, 2024

Abstract

We present a modified floating wire technique for aorto-ostial coronary stenting. This novel approach ensures accurate ostial alignment without stent protrusion. The technique involves using a second wire as a marker at the true ostium to guide optimal stent placement. A balloon catheter is advanced on the floating wire to delineate the aorto-ostial plane. This method reduces the need for contrast media, prevents deep intubation of the guide catheter, and resembles the stent draw-back technique. The modified floating wire technique offers a safe and effective method for aorto-ostial coronary stenting and has potential for broader clinical application.

Keywords: Percutaneous Coronary Intervention, Left Main

1. Background

Precise aorto-ostial coronary angioplasty remains challenging due to the inability of conventional 2D angiography to accurately delineate the aorto-ostial plane. This limitation can lead to geographic miss of the ostium or protrusion of the stent into the aorta. Several strategies and techniques have been proposed to improve the accuracy of aorto-ostial stenting, each with certain limitations. For example, the aorta free floating wire technique is not very accurate for determining the ostium, the Szabo technique involves complex steps, and novel stent designs (such as the Cappella stent) and devices (such as the Ostial Pro device) face economic concerns (1, 2).

2. Objectives

We propose the "modified floating wire" technique as a novel, safe, and straightforward method for aortoostial coronary stenting, ensuring appropriate ostial alignment without stent protrusion into the aorta.

3. Methods

The following steps were performed:

1. A 6-French right Judkins catheter was advanced to the right coronary artery (RCA) via the right femoral approach. A 0.014-inch workhorse coronary guide wire was advanced through the lesion.

2. A second coronary workhorse guide wire was advanced to the aortic cusp as the floating wire (Figure 1A).

3. After effective predilation of the lesion with a compliant balloon, the balloon was removed.

4. The same balloon was advanced over the floating wire (Figure 1B) (Supplementary Video 1).

5. The stent was advanced over the RCA guide wire.

6. The balloon was inflated and gradually pulled back on the floating wire until it reached the guiding catheter's tip. The guiding catheter was then moved towards the coronary ostium as much as possible (Figure 1C)(Supplementary Video 2).

7. The stent was pulled back until it was positioned by the inflated balloon, then deployed (Figure 1D) (Supplementary Video 3).

Copyright @ 2024, Multidisciplinary Cardiovascular Annals. This open-access article is available under the Creative Commons Attribution-NonCommercial 4.0 (CC BY-NC 4.0) International License (https://creativecommons.org/licenses/by-nc/4.0/), which allows for the copying and redistribution of the material only for noncommercial purposes, provided that the original work is properly cited.





8. The stent was post-dilated and the ostium was flared, with the results shown (Supplementary Video 4).

9. Intracoronary ultrasound (IVUS) confirmed full coverage of the RCA ostium (Figure 1E) (Supplementary Video 5).

4. Results and Discussion

In the floating wire method, the second wire placed at the origin of the aorta serves as a marker for the true ostium, facilitating more accurate stent placement. However, this technique has some limitations. Since the wire does not bend at a 90-degree angle from the ostium, the true ostium is positioned a few millimeters away from the curvature of the wire, which extends from the guide to the aortic wall. The wire appears as a single line on fluoroscopic images, which can result in variable relationships between the wire, the actual ostium, and the stent in different fluoroscopic views. Any point between the tip of the guiding catheter and the actual ostium may be mistakenly considered as corresponding to the ostium.

To address this limitation, we advance a balloon catheter over the floating wire and gradually pull it back until it reaches the tip of the guiding catheter (Figure 1F). Our technique is designed to indirectly delineate the aorto-ostial plane through balloon inflation, optimizing aorto-ostial stenting while reducing the need for contrast media and preventing deep intubation of the guide catheter into the coronary artery. In fact, our technique is similar to the stent draw-back technique.

Supplementary Material

Supplementary material(s) is available here [To read supplementary materials, please refer to the journal website and open PDF/HTML].

Footnotes

Authors' Contribution: Study concept and design: P. M., Mh. M., and A. F.; Acquisition of data: Sm. H. and A. A.; Study supervision: Mh. M., A. F., and E. Kh.; Draft: Sm. H. and P. M.; Administrative, technical, and material support: Mh. M. and A. Kh.

Conflict of Interests Statement: Authors declared no conflict of interests.

Data Availability: The dataset presented in the study is available on request from the corresponding author during submission or after publication.

Funding/Support: There isn't any support funding for our article.

Informed Consent: Written informed consent was obtained from the participant or a parent or legal guardian.

References

- Wankhade PR, Nair ATP, Binu SS. A novel technique for placement of aorto-ostial coronary stent using goose-neck snare. *IHJ Cardiovasc Case Rep* (*CVCR*). 2021;5(3):149-52. https://doi.org/10.1016/j.ihjccr.2021.10.004.
- Caied F, Cortes LA, Souza VB, Leandro SM, Paula TA, Alves LFMF, et al. A Novel Ostial Angioplasty Technique. JACC Cardiovasc Interv. 2021;14(21):e293-5. [PubMed ID: 34736743]. https://doi.org/10.1016/j.jcin.2021.08.019.